EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1230	(@ad<"20030220" or @rlad<"20030220") and (modify or modif$5 or updat$4 or flag$4 or add$4 or mark$5) near10 (flag or parameter or header or packet or data or file) near5 (security or integrity or virus or authenticity or validation or validate or secure) near3 (check$4 or scan$4 or verify or verifi$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/30 08:45
L3	780	(@ad<"20030220" or @rlad<"20030220") and (modify or modif$5 or updat$4 or flag$4 or add$4 or mark$5) near5 (flag or parameter or header or packet or data or file) near5 (security or integrity or virus or authenticity or validation or validate or secure) near3 (check$4 or scan$4 or verify or verifi$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/30 08:46
L4	164	(@ad<"20030220" or @rlad<"20030220") and (modify or modif$5 or updat$4 or flag$4 or add$4 or mark$5) near5 (flag or parameter or header or packet or data or file) near5 (security or integrity or virus or authenticity or validation or validate or secure) near3 (check$4 or scan$4 or verify or verifi$6) and ("709"/$3.ccls. or "370"/$3.ccls. or "455"/$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/30 10:57
L6	279	(@ad<"20030220" or @rlad<"20030220") and (modify or modif$5 or updat$4 or flag$4 or add$4 or mark$5) near5 (unverified or "not verified" or "unchecked" or "unauthenticated" or "not authenticated" or ("not" near3 scanned) or ("not" near4 security))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/30 13:17
L7	2	"7072944".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/30 11:02
L8	1	L6 and nokia.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/30 13:18

L9	49	"bajko, gabor".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/30 13:18
S1	1309	(@ad<"20030220" or @rlad<"20030220") and (message or packet or data) near5 (security near2 (check$5 or screen$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 16:35
S2	17	(@ad<"20030220" or @rlad<"20030220") and (indicat$5 or mark or flag) near3 (message or packet or data) near5 (security near2 (check$5 or screen$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 16:39
S3	1028	(@ad<"20030220" or @rlad<"20030220") and (indicat$5 or mark or flag) near3 (message or packet or data) near5 security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 16:39
S4	235	(@ad<"20030220" or @rlad<"20030220") and (TCP or SIP or UMTS or 3gpp) AND (indicat$5 or mark or flag) near3 (message or packet or data) near5 security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 16:41
S5	309	(@ad<"20030220" or @rlad<"20030220") and (TCP or SIP or UMTS or 3gpp) AND (indicat$5 or mark or flag or modify or modifying) near3 (message or packet or data) near6 security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 16:42
S6	32	(@ad<"20030220" or @rlad<"20030220") and (TCP or SIP or UMTS or 3gpp) AND (indicat$5 or mark or flag or modify or modifying) near3 (message or packet or data) near6 security near2 (check or checked or status or indication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 17:15
S7	21	(@ad<"20030220" or @rlad<"20030220") and (SIP with security near5 (indicator or indication or flag or mark or validation or validated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 17:17
S8	4	(@ad<"20030220" or @rlad<"20030220") and SIP and (message or packet) near5 (security near5 (indicator or indication or flag or mark or validation or validated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 17:25

EAST Search History

S9	13	(@ad<"20030220" or @rlad<"20030220") and SIP and (message or packet) near5 ((screen$4 or security) near5 (indicator or indication or flag or mark or validation or validated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 17:27
S10	0	(@ad<"20030220" or @rlad<"20030220") and (SIP or TCP or 3GPP) and (message or packet) near5 (screen$4 near3 security near5 (indicator or indication or flag or mark or validation or validated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 17:28
S11	3	(@ad<"20030220" or @rlad<"20030220") and (SIP or TCP or 3GPP) and (message or packet) near5 security near3 (screen$3 or validation or validated or processed) near4 (indicator or indication or flag or mark)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 17:29
S12	3	(@ad<"20030220" or @rlad<"20030220") and (SIP or TCP or 3GPP) and (message or packet) near5 security near3 (screen$3 or validation or validated or processed or scanned) near4 (indicator or indication or flag or mark)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 17:36
S13	3	(@ad<"20030220" or @rlad<"20030220") and (message or packet) near5 security near3 (screen$3 or validation or validated or processed or scanned) near4 (indicator or indication or flag or mark)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 17:36
S14	3	(@ad<"20030220" or @rlad<"20030220") and (message or packet or header) near5 security near3 (screen$3 or validation or validated or processed or scanned) near4 (indicator or indication or flag or mark)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 17:36
S15	112	(@ad<"20030220" or @rlad<"20030220") and (message or packet or header) near4 security near3 (flag or mark or indicator or indication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 17:39

EAST Search History

S16	41	(@ad<"20030220" or @rlad<"20030220") and (message or packet or header) near4 security near3 (flag or mark or indicator or indication) and (TCP or SIP or "TCP/IP")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 18:03
S17	2811	(@ad<"20030220" or @rlad<"20030220") and (message or packet or header) near4 (flag$4 or mark$4 or indicat$5) with (scanned or scan or examined or verifi$4 or authenticat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 18:06
S18	240	(@ad<"20030220" or @rlad<"20030220") and (message or packet or header) near4 (flag$4 or mark$4 or indicat$5) with (scanned or scan or examined or verifi$4 or authenticat$5) with (secure or security or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 18:06
S19	248	(@ad<"20030220" or @rlad<"20030220") and (message or packet or header) near4 (flag$4 or mark$4 or indicat$5) with (scanned or scan or examined or verifi$4 or authenticat$5) with (secure or security or source or trust)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 18:07
S20	124	(@ad<"20030220" or @rlad<"20030220") and (message or packet or header) near4 (flag$4 or mark$4 or indicat$5) with (scanned or scan or examined or verifi$4 or authenticat$5) with (secure or security or source or trust) and (TCP or "TCP/IP" or SIP or "709"/$3.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 18:16
S21	206	(@ad<"20030220" or @rlad<"20030220") and (flag or indicate or note or record) with (packet or message) with (security or virus or authenticat$5) with (scan$3 or verifi$4 or check$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 18:18
S22	95	(@ad<"20030220" or @rlad<"20030220") and (flag or indicate or note or record) with (packet or message) with (security or virus or authenticat$5) with (scan$3 or verifi$4 or check$4) and (TCP or SIP or "TCP/IP")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 18:20

S23	14	(@ad<"20030220" or @rlad<"20030220") and (flag or indicate or note or record) with (packet or message) with (security or virus or authenticat$5) with (scan$3 or verifi$4) and (TCP or SIP or "TCP/IP")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 18:20
S24	16	(@ad<"20030220" or @rlad<"20030220") and (flag or indicate or note or record or modif$5) with (packet or message) with (security or virus or authenticat$5) with (scan$3 or verifi$4) and (TCP or SIP or "TCP/IP")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 18:45
S25	25	(@ad<"20030220" or @rlad<"20030220") and (flag or indicate or note or record or modif$5) with (packet or message) with ((unverified or insecure) or ((lack or "not") near3 (secur$5 or verifi$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 18:50
S26	25	(@ad<"20030220" or @rlad<"20030220") and (flag or indicate or note or record or modif$5) with (packet or message) with ((unverified or insecure) or ((lack or "not") near3 (scan$5 or secur$5 or verifi$5 or authenticat$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 19:02
S27	0	"10614343"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 19:01
S28	10	"614343"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 19:01
S29	580	(@ad<"20030220" or @rlad<"20030220") and (modify or modif$5 or updat$4 or flag$4 or add$4) near4 (flag or parameter) near10 security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 19:04
S31	8	(@ad<"20030220" or @rlad<"20030220") and (modify or modif$5 or updat$4 or flag$4 or add$4) near4 (flag or parameter) near10 security near4 ("not" or lack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 19:05

S33	8	(@ad<"20030220" or @rlad<"20030220") and (modify or modif$5 or updat$4 or flag$4 or add$4) near4 (flag or parameter or header) near10 security near4 ("not" or lack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 19:06
S34	2790	(@ad<"20030220" or @rlad<"20030220") and (modify or modif$5 or updat$4 or flag$4 or add$4) with (flag or parameter or header) with security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/27 19:06
S35	32	(@ad<"20030220" or @rlad<"20030220") and (modify or modif$5 or updat$4 or flag$4 or add$4) near10 (flag or parameter or header) near10 (((missing or lack or "not") near5 (security or verifi$5 or authentic$5)) or (insecure or unverified or unauthenticated))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/30 08:42